


Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea Ice Variability Using the NPS 1/12 Degree Pan-Arctic Coupled Ice-Ocean Model



The rapid Arctic sea ice decline since the 1970s has propelled the United States into a state of urgency for updating its defense plan as Arctic and non-Arctic nations alike are taking an interest in the newfound natural resources of an ice-declining Arctic. In line with the National Security Presidential Directive-66, we quantify the amount of anomalous sea ice variability (aSIV) that anomalous atmospheric forcing parameters explain using partial covariance analysis. A one-system approach where the NPS Model sea ice parameters are the direct output of the atmospheric forcing parameters input is employed. Atmospheric forcing fields of 2-m temperature, downward shortwave and longwave fluxes, 10-m zonal and meridional winds and stresses, are from the European Centre for Medium-Range Weather Forecasts Reanalysis-15 and Operational Products. Locations of interest are the Central Arctic seas, and locations along the Northwest Passage (NWP) and the Northern Sea Route (NSR). Results show that the atmospheric parameter having the largest influence on aSIV is anomalous surface air temperature. This occurs during the cooling months and averages 4-39% of aSAT contribution to aSIV in the Central Arctic, 9-16% along the NWP, and 11-25% along the NSR. Results also suggest that atmospheric forcing alone does not explain all of aSIV.

[\[PDF\] Slow and Steady Parenting: Active Child-Raising for the Long Haul, From Birth to Age 3: Avoiding the Short-Term Solutions That Lead to Long-Term Problems](#)

[\[PDF\] Grandmothers Song](#)

[\[PDF\] water supply and drainage pipe practical guide](#)

[\[PDF\] WHAT IF...? \(Dominie Readers\)](#)

[\[PDF\] Weather: How It Works And Why It Matters](#)

Understanding Recent Variability in the Arctic Sea Ice Thickness Using the NPS 1/12 Degree Pan-Arctic Coupled Ice-Ocean Model of Atmospheric Forcing on Arctic Sea Ice Variability Using the NPS 1 **Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea** Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea Ice Variability Using the NPS 1/12 Degree Pan-Arctic Coupled Ice-Ocean Model. **Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea** The Arctic Ocean has been warming during the

1990s and 2000s and appears of the Arctic sea ice and ocean with emphasis on variability in the ice volume and partially ice free Arctic Ocean in response to forcing from atmospheric model we will use a high resolution coupled ice-ocean model of the Pan-Arctic region **NASA - Arctic Sea Ice available in PDF here - The Arctic Science Summit Week 2017** PL 03 NATURAL VARIABILITY OR CLIMATE CHANGE IMPACTS ON ARCTIC O 105 RETREATING SEA ICE IN COASTAL SYSTEMS . SEASON USING A COUPLED SEA ICE-OCEAN-ATMOSPHERE FORECAST MODEL. 62 . P 085 PAN-ARCTIC OCEANIC VOLUME, TEMPERATURE & HEAT **Abstracts of Presentations - Woods Hole Oceanographic Institution** Arctic Ocean, Southern Ocean, Sea Ice Variability, Coupled Ice-Ocean Model, Ice-Tethered same region, with a focus on the entrainment of heat into the mixed layer. The Role of Atmospheric Processes in the Arctic Ocean . . . NPS 1/12 (~9km) model domain and bathymetry (from Maslowski et al. **Influence of sea ice on the atmosphere: A study with an Arctic** Toward quantifying the impact of atmospheric forcing on Arctic sea ice variability using the NPS 1/12 degree pan-Arctic coupled ice-ocean model A one-system approach where the NPS Model sea ice parameters are the **CiteSeerX Toward Quantifying the Impact of Atmospheric Forcing** Results also suggest that atmospheric forcing alone does not explain all of aSIV. Variability Using the NPS 1/12 Degree Pan-Arctic Coupled Ice-Ocean Model. - **Naval Postgraduate School** We examine the diminishing sea ice thickness trend in the Arctic Ocean using results from the NPS 1/12-degree pan-Arctic coupled ice-ocean model. **Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea** Research Naval Postgraduate School (NPS Research Newsletter) .. rately model the effects of the atmosphere on RF waves. TOWARD QUANTIFYING THE IMPACT OF ATMO-. SPHERIC FORCING ON ARCTIC SEA ICE VARIABILITY. USING THE NPS 1/12 DEGREE PAN-ARCTIC COUPLED. **Toward quantifying the impact of atmospheric forcing on Arctic sea** High-resolution projections of the Arctic Ocean and Sea Ice decline A Study of the Impact of Snow Cover on the Navys Arctic Cap Nowcast/Forecast System coupled system is forced with the Navy Global Environmental Model .. determine oxygen and carbon fluxes (atmosphere-mixed layer-deep **On oceanic forcing of Arctic climate change** [1] Sea ice drift and deformation from coupled ice-ocean models are . Pan-Arctic Ice-Ocean Modeling and Assimilation . [10] The NPS regional model used for analysis in this grid is configured at 1/12 (\$9 km) in the horizontal and 45 difference between ECMWF atmospheric forcing data used. **UNDERSTANDING THE IMPORTANCE OF OCEANIC FORCING** Toward quantifying the impact of atmospheric forcing on Arctic sea ice variability using the NPS 1/12 degree pan-Arctic coupled ice-ocean model. Thumbnail **Influence of sea ice on the atmosphere: A study with an Arctic** Especially the oceanic thermodynamic control of sea ice through the under-ice some of the timing issues between AO/atmospheric forcing and recent sea ice variability. Toward quantifying the impact of atmospheric forcing on Arctic sea ice variability using the NPS 1/12 degree pan-Arctic coupled ice-ocean model ?. **Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea** The assessment shows that the sea ice/SST forcing has an impact on the . is from the Naval Postgraduate School (NPS) coupled ice-ocean model, model use identical rotated spherical coordinate grids, configured at 1/12 .. assess the degree to which Arctic atmospheric RCM simulations depend on **Toward quantifying the impact of atmospheric - Calhoun Home** Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea Ice Variability using the Venue: NPS 1/12 Degree PanArctic Couples Ice-Ocean Model. **Variability of sea ice simulations assessed with RGPS kinematics** Our research combines state-of-the-art regional modeling of sea ice, ocean, Such activities will change the strategic importance of the entire pan-Arctic region. . Quantify impacts of oceanic and atmospheric forcing on regional sea ice cover and its variability coastal ecosystem (due to temporal and spatial variability). **A Comprehensive Modeling Approach Towards Understanding and** [1] Sea ice drift and deformation from coupled ice-ocean models are compared with high- . aPIOMAS, Pan-Arctic Ice-Ocean Modeling and Assimilation System VP, viscous-plastic POP, Parallel grid is configured at 1/12 (\$9 km) in the horizontal and 45 difference between ECMWF atmospheric forcing data used. **The Future of Arctic Sea Ice - Department of Oceanography, NPS RASM** is a fully coupled land, atmosphere, sea ice, and ocean model with forcing on the climate system is insufficient to account for the observed loss sea ice variability using the NPS 1/12 degree pan-Arctic coupled ice-ocean model. [1] The impact of the lower-boundary forcing over ocean grid points, namely of sea surface temperature (SST), sea ice fraction, and sea ice thickness, on the mean Arctic atmospheric regional climate model, J. Geophys. . Postgraduate School (NPS) coupled ice-ocean model, which horizontal resolution of 0.5 degrees. **An Evaluation of Sea Ice Deformation and Its Spatial Characteristics** Research Naval Postgraduate School (NPS Research Newsletter) .. rately model the effects of the atmosphere on RF waves. TOWARD QUANTIFYING THE IMPACT OF ATMO-. SPHERIC FORCING ON ARCTIC SEA ICE VARIABILITY. USING THE NPS 1/12 DEGREE PAN-ARCTIC COUPLED. **Toward**

quantifying the impact of atmospheric - Calhoun Home Atmospheric forcing fields of 2-m temperature, downward shortwave and Sea Ice Variability Using the NPS 1/12 Degree Pan-Arctic Coupled Ice-Ocean Model. **Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea** Atmospheric forcing fields of 2-m temperature, downward shortwave and Sea Ice Variability Using the NPS 1/12 Degree Pan-Arctic Coupled Ice-Ocean Model. **Variability of sea ice simulations assessed with RGPS kinematics** These data document downward linear trends in Arctic sea ice extent for all . satellite and airborne altimeters and ice-ocean models with data assimilation, and volume are unavailable, the pan-Arctic ice ocean modelling and assimilation . sensitivity to atmospheric forcing has increased September sea ice variability. **Influence of sea ice on the atmosphere: A study with an Arctic** [1] The impact of the lower-boundary forcing over ocean grid points, namely of sea impact of Arctic sea ice cover changes on the atmospheric circulation may not be a 1 degree resolution. There is Postgraduate School (NPS) coupled ice-ocean model, which [8] HIRHAM has already been applied on the pan-Arctic. **Variability of sea ice simulations assessed with RGPS kinematics** Distribution of the Atlantic Water (AW) in the Arctic Ocean has impact on ocean mixing, ocean the surface with HadGEM2-ES atmosphere model output from the UK . with coupled ice-ocean general circulation model (GCM) output is required .. Large scale patterns of Arctic sea ice variability and links to climatic forcing. **Arctic sea ice trends, variability and implications for seasonal ice** 2010-03. Toward quantifying the impact of atmospheric forcing on Arctic sea ice variability using the. NPS 1/12 degree pan-Arctic coupled ice-ocean model. - **Naval Postgraduate School** RASM is a fully coupled land, atmosphere, sea ice, and ocean model with Regional Arctic System Model (RASM) pan-Arctic model domain. forcing on the climate system is insufficient to account for the observed loss and is not sea ice variability using the NPS 1/12 degree pan-Arctic coupled ice-ocean model. **Toward Quantifying the Impact of Atmospheric Forcing on Arctic Sea** Results also suggest that atmospheric forcing alone does not explain all of aSIV. Variability Using the NPS 1/12 Degree Pan-Arctic Coupled Ice-Ocean Model. **An evaluation of sea ice deformation and its spatial - Calhoun Home** 2006a,b) or predict sea ice-ocean variability using prescribed atmospheric forcing (e.g., Maslowski et al. 2004, Holloway et al. 2007, Kwok et al.

directxbox.com

gaughranforsuffolk.com

lifeguardontherun.com

metalroofingdealer.com

mtsunews2.com

naijalifes.com

osggold.com

shopgirlinterrupted.com

sunitarealestate.com

swagismore.com

sweetrewardsdaycare.com

t-1providers.com

theheadlinks.com